




SENSOR AND MOUNT

- 400-700 nm measurement
- 1 nm resolution
- Long life LED light source
- 3" distance with 3" spot
- Air pressurized Housing
- Air wash on measure window
- Diffuse geometry
- 0.26 DE CIELab Repeat accuracy
- Trend Software Included



Trend Software

ONLINE SPECTROPHOTOMETER

ITEM	Specification
Spectral Range	400 – 700nm)
Special Resolution	1 nm
Illumination Source	Long Life LEDs
Average Repeat	0.26 ΔE^* CIELab
Inter-instrument	0.98 ΔE^* CIELab
Color Space	CIELAB. RGB
Illuminants /observers	C, D65,2 or 10
Indexes	Whiteness, Yellowness
Optical Geometry	Diffuse
Measurement Spot	3-inch Día at 3 Inches
Measure Time	1 per second
Distance to Sensor	15 feet USB
Distance to Sensor	150 Feet Ethernet
Computer software	Win 10
Operating Range	50-113 F
Sensor Dimensions	4" W x 4" D x 4" H

Includes Robust heavy-duty case with adjustable mount Spectrophotometer, Ethernet, 25 feet Communication, power and air cables. Includes air filter, Trend Software and manual.



**JANDA CORPORATION 3345 North Key Drive #44 North Fort Meyers, FL 33903
 BobJanda@JandaCorp.net Mobile 410-263-2223
 www.QCtoolbox.com**

Color Technology Experts